

REAL TIME MONITORING & ALGAE REMEDIATION

The SolaRaft-iQDB™ provides a variety of telemetry solutions for remote, real-time monitoring. Convenient, accessible, available when you need it.

- View your water quality data online, anywhere internet is available
- Customizable charts, graphs and units of measure
- Tailor alarms, warnings and parameters to suit your needs
- Reporting made easy with simple download and sharing options

BENEFITS

With SolaRaft- iQDB™ you can easily access Water Quality Data, such as: Temperature | Conductivity | Salinity | TDS | pH | ORP | Ammonia | Nitrates | Dissolved Oxygen | Turbidity | Chlorophyll-A | Blue-Green Algae | and more*



AFFORDABLE



ACCESSIBLE



EASY



CUSTOMIZABLE

ANYTIME, ANYWHERE

We are certain you'll love the convenience of our real-time monitoring system - MyQuattro™ and MyH2Oinfo™. MyQuattro™ is a Smartphone based App that connects to the system's Bluetooth®. Available on android and iOS



*Probe sold separately; dealer pricing available.

**With system purchase. Mobile data rates may apply.

HBS'S PATENTED TECHNOLOGY OFFERS WHAT NO OTHER COMPETITOR OR COMPETING PRODUCT CAN:

- The greatest number of ultrasonic frequencies within the industry
- 10's of thousands of discrete frequencies
- Thousands of organized bandwidths
- Highest sound pressure output per watt used
- Greatest area coverage while using the lowest power consumption needed
- Lightest weight – lowest shipping cost
- Easiest deployment –no hand tools needed
- No Ultrasonic Emission Dead Zones
- **Lowest Product Cost**

APPLICATIONS

Water Treatment Facilities
Wastewater Treatment Facilities
Lakes, Reservoirs, Marinas & Docks
Lagoons & Irrigation Ponds
Clarifiers and Sedimentation Basins
Water Tanks, Cisterns, Fountains
Aquaculture and Agriculture
...Endless possibilities

ABOUT US

Since 2016, Hydro BioScience, LLC (HBS) & Diversified Power International, LLC (DPI) pioneered algae and biofilm remediation through worldwide patented technology and innovation. We are the inventors of the 360-degree Ultrasonic Remediation technology shown to be effective in thousands of worldwide installations.

Our Mission: As environmental stewards, with regard for public safety, HBS strives to lower the chemical footprint. Through continued scientific research and product innovation, HBS commits to providing you, our valued customer, with ever improving functionality, quality, and affordability.




414 Century Ct, Piney Flats TN, 37686
info@hydro-bioscience.com
www.hydro-bioscience.com
888.500.5011

MKTG0002-V001



SolaRaft-iQDB™ SolaRaft-QDB™



Up to 200W Solar Float
With Algae Remediation
GPS Telemetry
Water Quality Monitoring
Battery Energy Storage

EPA Registered | Worldwide Patent
Safe for People and Pets

SolaRaft-QDB™ SolaRaft-iQDB™
ULTRASONIC ALGAE CONTROL SYSTEM




DELIVERED PRE-ASSEMBLED
TOOLS NOT REQUIRED

- SolaRaft-QDB and SolaRaft-iQDB™ buoyancy rated at 108kg (240lbs)
- Electronic modules designed to IP68 protection
- Connectors Designed to IP67/68 protection
- Generates and stores enough energy to power multi ultrasonic algae control Sonic Heads and Probes
- SolaRafts™ include standard 3-year warranty

Optional Cellular & Serial Communications link Data broadcast (-iQDB) includes:

- Impact/Shock Notification
- Battery Status
- Solar Panel Status
- Sensor Data
- Customizable Alarm Events
- LoRa, Cellular, GPS, RS232, RS485, CAN
- SCADA

DEPLOYABLE IN UNDER 10 MIN



FEATURES

High efficiency solar controller with BLE intelligent wireless, RS232, RS485, LoRa, Cellular communications.

Standard 65AH, Greater than 1.1kWhr High Energy Density, ultra lightweight battery with Energy Status indicator & capacity reporting. Room for additional battery packs.

Ample energy collection from dual high-wattage solar panels and increased battery storage capacity allows the SolaRaft-QDB™ to properly power the Quattro-DB® Ultrasonic Algae Control Transducers.

The Solaraft-QDB™ float is highly configurable. As a base unit, it may be used for many different customized applications.

Measures:

- Length: 131cm (52 inches)
- Width: 86cm (34 inches)
- Height: 44cm (18 inches)
- Weight: 52 kg (116 lbs)

Materials Quality Statement:
 Traceable to NSF61 (excluding Solar Panels) and REACH/RoHS compliant.

Wireless and Cellular communications antenna. High Bright white LED light beacon.

High energy density, high efficiency, solar panels with flip access.

Sturdy side panels with hand lift access holes.

Lightweight, Hydro-Dynamic Instrumentation Yellow, Impact Resistant float.

Multi-Sensor probe with multiple arrays of monitoring sensors and sonde units available. This makes tailoring a system specifically to your application, simple. While probes are tested and proven to exhibit minimal biofouling, an optional Extended Turbidity wiper is available.

The SolaRaft-iQDB™ ships on a standard pallet. Its approximate weight of 52kg (116lbs) greatly reduces costly delivery fees and freight delays. Stackable up to 4 boxed SolaRafts™ per pallet.

NEW TRANSDUCER DESIGN

- Improved Sound Pressure
- Even Ultrasound Distribution in Horizontal *and* Hemispherical direction



2026 Quattro-DB® 360™



2026 Quattro-DB® Globe™

Partial list of algae species affected by our patented systems: Aphanizomenon, Cyclotella, Pseudanabaena, Anabaena, Dictyosphaerium, Phacus, Aphanochaete, Fragilaria, Pinnularia, Arcella, Gloeocystis, Planktothrix, Gomphonema, Chlamydomonas, Lagerheimia, Chlorella, Lyngbya, Chroococcus, Microactinium, Spirogyra, Coelastrum, Staurastrum, Microcystis, Cosmarium, Tabellaria, Grucigenia, Nitzschia, Tribonema, Ulothrix, Botryococcus braunii, Rhodomonas minuta, Tetrademus acuminatus, Scenedesmus quadricauda, Merismopedia tenuissima, Sphaerocystis schroeteri, Chloromonas reticulata, Navicula minima, Cryptomonas erosa, and Oocystis pusilla

Connect with HBS:



HBS products, such as the algae management & monitoring systems, are patent pending or patented in various countries worldwide. All products advertised, excluding solar panels are PROPRIETARY HBS, LLC PRODUCTS.